



Wire Specification Chart

Component Supply Part Number	Material	Nom. OD (IN)	OD Tolerance (IN)
GWX-0030	304 Stainless Steel	0.0030	± 0.0003
GWX-0040	304 Stainless Steel	0.0040	± 0.0003
CGWX-0040	PTFE Coated	0.0040	± 0.0005
GWX-0050	304 Stainless Steel	0.0050	± 0.0003
GWXX-0050	316 Stainless Steel	0.0050	± 0.0002
NW-0050	Nitinol Type 1	0.0050	± 0.0005
CGWX-0050	PTFE Coated	0.0050	± 0.0005
GMGWX-0050	5% PTFE GlideMed Coated	0.0050	± 0.0005
GWX-0055	304 Stainless Steel	0.0055	± 0.0003
GWX-0060	304 Stainless Steel	0.0060	± 0.0003
GWXX-0060	316 Stainless Steel	0.0060	± 0.0002
NW-0060	Nitinol Type 1	0.0070	± 0.0005
CGWX-0060	PTFE Coated	0.0060	± 0.0005
GMGWX-0060	5% PTFE GlideMed Coated	0.0060	± 0.0005
GWX-0065	304 Stainless Steel	0.0065	± 0.0003
GWX-0070	304 Stainless Steel	0.0070	± 0.0003
GWXX-0070	316 Stainless Steel	0.0070	± 0.0002
NW-0070	Nitinol Type 1	0.0080	± 0.0005
CGWX-0070	PTFE Coated	0.0070	± 0.0005
GMGWX-0070	5% PTFE GlideMed Coated	0.0070	± 0.0005
GWX-0075	304 Stainless Steel	0.0075	± 0.0003
GWX-0080	304 Stainless Steel	0.0080	± 0.0003
GWXX-0080	316 Stainless Steel	0.0080	± 0.0002
NW-0080	Nitinol Type 1	0.0090	± 0.0005
CGWX-0080	PTFE Coated	0.0080	± 0.0005
GMGWX-0080	5% PTFE GlideMed Coated	0.0080	± 0.0005
GWX-0085	304 Stainless Steel	0.0085	± 0.0003
GWX-0090	304 Stainless Steel	0.0090	± 0.0003
GWXX-0090	316 Stainless Steel	0.0090	± 0.0002
CGWX-0090	PTFE Coated	0.0090	± 0.0005
GMGWX-0090	5% PTFE GlideMed Coated	0.0090	± 0.0005
NW-0090	Nitinol Type 1	0.0100	± 0.0005
GWX-0095	304 Stainless Steel	0.0095	± 0.0003
GWX-0100	304 Stainless Steel	0.0100	± 0.0003
GWXX-0100	316 Stainless Steel	0.0100	± 0.0002
CGWX-0100	PTFE Coated	0.0100	± 0.0005

Component Supply Part Number	Material	Nom. OD (IN)	OD Tolerance (IN)
GMGWX-0100	5% PTFE GlideMed Coated	0.0100	± 0.0005
NW-0100	Nitinol Type 1	0.0110	± 0.0005
GWX-0105	304 Stainless Steel	0.0105	± 0.0003
GWX-0110	304 Stainless Steel	0.0110	± 0.0003
GWXX-0110	316 Stainless Steel	0.0110	± 0.0003
CGWX-0110	PTFE Coated	0.0110	± 0.0005
GMGWX-0110	5% PTFE GlideMed Coated	0.0110	± 0.0005
NW-0110	Nitinol Type 1	0.0120	± 0.0005
GWX-0115	304 Stainless Steel	0.0115	± 0.0003
GWX-0120	304 Stainless Steel	0.0120	± 0.0003
GWXX-0120	316 Stainless Steel	0.0120	± 0.0003
CGWX-0120	PTFE Coated	0.0120	± 0.0005
GMGWX-0120	5% PTFE GlideMed Coated	0.0120	± 0.0005
SMW-012	High-Carbon Steel	0.0120	± 0.0003
NW-0120	Nitinol Type 1	0.0130	± 0.0005
GWX-0125	304 Stainless Steel	0.0125	± 0.0003
GWX-0130	304 Stainless Steel	0.0130	± 0.0003
GWXX-0130	316 Stainless Steel	0.0130	± 0.0003
CGWX-0130	PTFE Coated	0.0130	± 0.0005
GMGWX-0130	5% PTFE GlideMed Coated	0.0130	± 0.0005
NW-0130	Nitinol Type 1	0.0140	± 0.0005
GWX-0135	304 Stainless Steel	0.0135	± 0.0004
GWX-0140	304 Stainless Steel	0.0140	± 0.0004
GWXX-0140	316 Stainless Steel	0.0140	± 0.0004
CGWX-0140	PTFE Coated	0.0140	± 0.0005
GMGWX-0140	5% PTFE GlideMed Coated	0.0140	± 0.0005
NW-0140	Nitinol Type 1	0.0150	± 0.0005
GWX-0145	304 Stainless Steel	0.0145	± 0.0004
GWX-0150	304 Stainless Steel	0.0150	± 0.0004
GWXX-0150	316 Stainless Steel	0.0150	± 0.0003
CGWX-0150	PTFE Coated	0.0150	± 0.0005
GMGWX-0150	5% PTFE GlideMed Coated	0.0150	± 0.0005
SMW-015	High-Carbon Steel	0.0150	± 0.0003
NW-0150	Nitinol Type 1	0.0160	± 0.0005
GWX-0155	304 Stainless Steel	0.0155	± 0.0004
GWX-0160	304 Stainless Steel	0.0160	± 0.0004
GWXX-0160	316 Stainless Steel	0.0160	± 0.0004
CGWX-0160	PTFE Coated	0.0160	± 0.0005
GMGWX-0160	5% PTFE GlideMed Coated	0.0160	± 0.0005
NW-0160	Nitinol Type 1	0.0170	± 0.0005
GWX-0165	304 Stainless Steel	0.0165	± 0.0004
GWX-0170	304 Stainless Steel	0.0170	± 0.0004

Component Supply Part Number	Material	Nom. OD (IN)	OD Tolerance (IN)
GWXX-0170	316 Stainless Steel	0.0170	± 0.0004
CGWX-0170	PTFE Coated	0.0170	± 0.0005
GMGWX-0170	5% PTFE GlideMed Coated	0.0170	± 0.0005
NW-0170	Nitinol Type 1	0.0180	± 0.0005
GWX-0175	304 Stainless Steel	0.0175	± 0.0004
GWX-0180	304 Stainless Steel	0.0180	± 0.0004
GWXX-0180	316 Stainless Steel	0.0180	± 0.0004
CGWX-0180	PTFE Coated	0.0180	± 0.0005
GMGWX-0180	5% PTFE GlideMed Coated	0.0180	± 0.0005
NW-0180	Nitinol Type 1	0.0190	± 0.0005
GWX-0185	304 Stainless Steel	0.0185	± 0.0004
GWX-0190	304 Stainless Steel	0.0190	± 0.0004
GWXX-0190	316 Stainless Steel	0.0190	± 0.0004
CGWX-0190	PTFE Coated	0.0190	± 0.0005
GMGWX-0190	5% PTFE GlideMed Coated	0.0190	± 0.0005
NW-0190	Nitinol Type 1	0.0200	± 0.0005
GWX-0195	304 Stainless Steel	0.0195	± 0.0004
GWX-0200	304 Stainless Steel	0.0200	± 0.0004
GWXX-0200	316 Stainless Steel	0.0200	± 0.0004
CGWX-0200	PTFE Coated	0.0200	± 0.0005
GMGWX-0200	5% PTFE GlideMed Coated	0.0200	± 0.0005
SMW-020	High-Carbon Steel	0.0200	± 0.0003
NW-0200	Nitinol Type 1	0.0210	± 0.0005
GWX-0210	304 Stainless Steel	0.0210	± 0.0004
GWXX-0210	316 Stainless Steel	0.0210	± 0.0004
CGWX-0210	PTFE Coated	0.0210	± 0.0005
GMGWX-0210	5% PTFE GlideMed Coated	0.0210	± 0.0005
NW-0210	Nitinol Type 1	0.0220	± 0.0005
GWX-0220	304 Stainless Steel	0.0220	± 0.0004
GWXX-0220	316 Stainless Steel	0.0220	± 0.0004
CGWX-0220	PTFE Coated	0.0220	± 0.0005
GMGWX-0220	5% PTFE GlideMed Coated	0.0220	± 0.0005
NW-0220	Nitinol Type 1	0.0230	± 0.0005
GWX-0230	304 Stainless Steel	0.0230	± 0.0004
GWXX-0230	316 Stainless Steel	0.0230	± 0.0004
CGWX-0230	PTFE Coated	0.0230	± 0.0005
GMGWX-0230	5% PTFE GlideMed Coated	0.0230	± 0.0005
NW-0230	Nitinol Type 1	0.0240	± 0.0005
GWX-0240	304 Stainless Steel	0.0240	± 0.0004
GWXX-0240	316 Stainless Steel	0.0240	± 0.0005
CGWX-0240	PTFE Coated	0.0240	± 0.0005
GMGWX-0240	5% PTFE GlideMed Coated	0.0240	± 0.0005

Component Supply Part Number	Material	Nom. OD (IN)	OD Tolerance (IN)
NW-0240	Nitinol Type 1	0.0250	± 0.0005
GWX-0250	304 Stainless Steel	0.0250	± 0.0004
GWXX-0250	316 Stainless Steel	0.0250	± 0.0005
CGWX-0250	PTFE Coated	0.0250	± 0.0005
GMGWX-0250	5% PTFE GlideMed Coated	0.0250	± 0.0005
SMW-025	High-Carbon Steel	0.0250	± 0.0005
NW-0250	Nitinol Type 1	0.0260	± 0.0005
GWX-0260	304 Stainless Steel	0.0260	± 0.0004
GWXX-0260	316 Stainless Steel	0.0260	± 0.0005
CGWX-0260	PTFE Coated	0.0260	± 0.0005
GMGWX-0260	5% PTFE GlideMed Coated	0.0260	± 0.0005
NW-0260	Nitinol Type 1	0.0270	± 0.0005
GWX-0270	304 Stainless Steel	0.0270	± 0.0004
GWXX-0270	316 Stainless Steel	0.0270	± 0.0005
CGWX-0270	PTFE Coated	0.0270	± 0.0005
GMGWX-0270	5% PTFE GlideMed Coated	0.0270	± 0.0005
NW-0270	Nitinol Type 1	0.0280	± 0.0005
GWX-0280	304 Stainless Steel	0.0280	± 0.0004
GWXX-0280	316 Stainless Steel	0.0280	± 0.0005
CGWX-0280	PTFE Coated	0.0280	± 0.0005
GMGWX-0280	5% PTFE GlideMed Coated	0.0280	± 0.0005
NW-0280	Nitinol Type 1	0.0290	± 0.0005
GWX-0290	304 Stainless Steel	0.0290	± 0.0004
GWXX-0290	316 Stainless Steel	0.0290	± 0.0005
CGWX-0290	PTFE Coated	0.0290	± 0.0005
GMGWX-0290	5% PTFE GlideMed Coated	0.0290	± 0.0005
NW-0290	Nitinol Type 1	0.0300	± 0.0005
GWX-0300	304 Stainless Steel	0.0300	± 0.0004
GWXX-0300	316 Stainless Steel	0.0300	± 0.0005
CGWX-0300	PTFE Coated	0.0300	± 0.0005
GMGWX-0300	5% PTFE GlideMed Coated	0.0300	± 0.0005
NW-0300	Nitinol Type 1	0.0310	± 0.0005
GWX-0310	304 Stainless Steel	0.0310	± 0.0004
GWXX-0310	316 Stainless Steel	0.0310	± 0.0005
CGWX-0310	PTFE Coated	0.0310	± 0.0005
GMGWX-0310	5% PTFE GlideMed Coated	0.0310	± 0.0005
NW-0310	Nitinol Type 1	0.0320	± 0.0005
GWX-0320	304 Stainless Steel	0.0320	± 0.0004
GWXX-0320	316 Stainless Steel	0.0320	± 0.0005
CGWX-0320	PTFE Coated	0.0320	± 0.0005
GMGWX-0320	5% PTFE GlideMed Coated	0.0320	± 0.0005
SMW-032	High-Carbon Steel	0.0320	± 0.0005

Component Supply Part Number	Material	Nom. OD (IN)	OD Tolerance (IN)
NW-0320	Nitinol Type 1	0.0330	± 0.0005
GWX-0330	304 Stainless Steel	0.0330	± 0.0004
GWXX-0330	316 Stainless Steel	0.0330	± 0.0005
CGWX-0330	PTFE Coated	0.0330	± 0.0005
GMGWX-0330	5% PTFE GlideMed Coated	0.0330	± 0.0005
NW-0330	Nitinol Type 1	0.0340	± 0.0005
GWX-0340	304 Stainless Steel	0.0340	± 0.0004
GWXX-0340	316 Stainless Steel	0.0340	± 0.0008
CGWX-0340	PTFE Coated	0.0340	± 0.0005
GMGWX-0340	5% PTFE GlideMed Coated	0.0340	± 0.0005
NW-0340	Nitinol Type 1	0.0350	± 0.0005
GWX-0350	304 Stainless Steel	0.0350	± 0.0004
GWXX-0350	316 Stainless Steel	0.0350	± 0.0008
CGWX-0350	PTFE Coated	0.0350	± 0.0005
GMGWX-0350	5% PTFE GlideMed Coated	0.0350	± 0.0005
NW-0350	Nitinol Type 1	0.0360	± 0.0005
GWX-0360	304 Stainless Steel	0.0360	± 0.0004
GWXX-0360	316 Stainless Steel	0.0360	± 0.0008
CGWX-0360	PTFE Coated	0.0360	± 0.0005
GMGWX-0360	5% PTFE GlideMed Coated	0.0360	± 0.0005
NW-0360	Nitinol Type 1	0.0370	± 0.0005
GWX-0370	304 Stainless Steel	0.0370	± 0.0004
CGWX-0370	PTFE Coated	0.0370	± 0.0005
GMGWX-0370	5% PTFE GlideMed Coated	0.0370	± 0.0005
NW-0370	Nitinol Type 1	0.0380	± 0.0005
GWX-0380	304 Stainless Steel	0.0380	± 0.0004
GWXX-0370	316 Stainless Steel	0.0380	± 0.0008
GWXX-0380	316 Stainless Steel	0.0380	± 0.0008
CGWX-0380	PTFE Coated	0.0380	± 0.0005
GMGWX-0380	5% PTFE GlideMed Coated	0.0380	± 0.0005
NW-0380	Nitinol Type 1	0.0390	± 0.0005
GWX-0390	304 Stainless Steel	0.0390	± 0.0004
GWXX-0390	316 Stainless Steel	0.0390	± 0.0008
CGWX-0390	PTFE Coated	0.0390	± 0.0005
GMGWX-0390	5% PTFE GlideMed Coated	0.0390	± 0.0005
SMW-039	High-Carbon Steel	0.0390	± 0.0005
NW-0390	Nitinol Type 1	0.0400	± 0.0005
GWX-0400	304 Stainless Steel	0.0400	± 0.0005
GWXX-0400	316 Stainless Steel	0.0400	± 0.0008
CGWX-0400	PTFE Coated	0.0400	± 0.0005
GMGWX-0400	5% PTFE GlideMed Coated	0.0400	± 0.0005
NW-0400	Nitinol Type 1	0.0410	± 0.0005

Component Supply Part Number	Material	Nom. OD (IN)	OD Tolerance (IN)
GWX-0410	304 Stainless Steel	0.0410	± 0.0005
CGWX-0410	PTFE Coated	0.0410	± 0.0005
GWX-0420	304 Stainless Steel	0.0420	± 0.0005
CGWX-0420	PTFE Coated	0.0420	± 0.0005
GWX-0430	304 Stainless Steel	0.0430	± 0.0005
CGWX-0430	PTFE Coated	0.0430	± 0.0005
GWX-0440	304 Stainless Steel	0.0440	± 0.0005
CGWX-0440	PTFE Coated	0.0440	± 0.0005
GWX-0450	304 Stainless Steel	0.0450	± 0.0005
CGWX-0450	PTFE Coated	0.0450	± 0.0005
GWX-0460	304 Stainless Steel	0.0460	± 0.0005
CGWX-0460	PTFE Coated	0.0460	± 0.0005
GWX-0470	304 Stainless Steel	0.0470	± 0.0005
CGWX-0470	PTFE Coated	0.0470	± 0.0005
SMW-047	High-Carbon Steel	0.0470	± 0.0005
GWX-0480	304 Stainless Steel	0.0480	± 0.0005
CGWX-0480	PTFE Coated	0.0480	± 0.0005
GWX-0490	304 Stainless Steel	0.0490	± 0.0005
CGWX-0490	PTFE Coated	0.0490	± 0.0005
GWX-0500	304 Stainless Steel	0.0500	± 0.0005
CGWX-0500	PTFE Coated	0.0500	± 0.0005
GWX-0510	304 Stainless Steel	0.0510	± 0.0005
CGWX-0510	PTFE Coated	0.0510	± 0.0005
GWX-0520	304 Stainless Steel	0.0520	± 0.0005
CGWX-0520	PTFE Coated	0.0520	± 0.0005
GWX-0530	304 Stainless Steel	0.0530	± 0.0005
CGWX-0530	PTFE Coated	0.0530	± 0.0005
GWX-0540	304 Stainless Steel	0.0540	± 0.0005
CGWX-0540	PTFE Coated	0.0540	± 0.0005
GWX-0550	304 Stainless Steel	0.0550	± 0.0005
CGWX-0550	PTFE Coated	0.0550	± 0.0005
SMW-055	High-Carbon Steel	0.0550	± 0.0005
GWX-0560	304 Stainless Steel	0.0560	± 0.0005
CGWX-0560	PTFE Coated	0.0560	± 0.0005
GWX-0570	304 Stainless Steel	0.0570	± 0.0005
CGWX-0570	PTFE Coated	0.0570	± 0.0005
GWX-0580	304 Stainless Steel	0.0580	± 0.0005
CGWX-0580	PTFE Coated	0.0580	± 0.0005
GWX-0590	304 Stainless Steel	0.0590	± 0.0005
CGWX-0590	PTFE Coated	0.0590	± 0.0005
GWX-0600	304 Stainless Steel	0.0600	± 0.0005
CGWX-0600	PTFE Coated	0.0600	± 0.0005

Component Supply Part Number	Material	Nom. OD (IN)	OD Tolerance (IN)
GWX-0610	304 Stainless Steel	0.0610	± 0.0005
CGWX-0610	PTFE Coated	0.0610	± 0.0005
GWX-0620	304 Stainless Steel	0.0620	± 0.0005
CGWX-0620	PTFE Coated	0.0620	± 0.0005
SMW-062	High-Carbon Steel	0.0620	± 0.0005
GWX-0630	304 Stainless Steel	0.0630	± 0.0005
CGWX-0630	PTFE Coated	0.0630	± 0.0005
GWX-0640	304 Stainless Steel	0.0640	± 0.0005
CGWX-0640	PTFE Coated	0.0640	± 0.0005
GWX-0650	304 Stainless Steel	0.0650	± 0.0005
CGWX-0650	PTFE Coated	0.0650	± 0.0005
GWX-0660	304 Stainless Steel	0.0660	± 0.0005
CGWX-0660	PTFE Coated	0.0660	± 0.0005
GWX-0670	304 Stainless Steel	0.0670	± 0.0005
CGWX-0670	PTFE Coated	0.0670	± 0.0005
GWX-0680	304 Stainless Steel	0.0680	± 0.0005
CGWX-0680	PTFE Coated	0.0680	± 0.0005
GWX-0690	304 Stainless Steel	0.0690	± 0.0005
CGWX-0690	PTFE Coated	0.0690	± 0.0005
GWX-0700	304 Stainless Steel	0.0700	± 0.0005
CGWX-0700	PTFE Coated	0.0700	± 0.0005
GWX-0710	304 Stainless Steel	0.0710	± 0.0005
CGWX-0710	PTFE Coated	0.0710	± 0.0005
GWX-0720	304 Stainless Steel	0.0720	± 0.0005
CGWX-0720	PTFE Coated	0.0720	± 0.0005
GWX-0730	304 Stainless Steel	0.0730	± 0.0005
CGWX-0730	PTFE Coated	0.0730	± 0.0005
GWX-0740	304 Stainless Steel	0.0740	± 0.0005
CGWX-0740	PTFE Coated	0.0740	± 0.0005
GWX-0750	304 Stainless Steel	0.0750	± 0.0005
CGWX-0750	PTFE Coated	0.0750	± 0.0005
GWX-0760	304 Stainless Steel	0.0760	± 0.0005
CGWX-0760	PTFE Coated	0.0760	± 0.0005
GWX-0770	304 Stainless Steel	0.0770	± 0.0005
CGWX-0770	PTFE Coated	0.0770	± 0.0005
GWX-0780	304 Stainless Steel	0.0780	± 0.0005
CGWX-0780	PTFE Coated	0.0780	± 0.0005
SMW-078	High-Carbon Steel	0.0780	± 0.0005
GWX-0790	304 Stainless Steel	0.0790	± 0.0005
CGWX-0790	PTFE Coated	0.0790	± 0.0005
GWX-0800	304 Stainless Steel	0.0800	± 0.0005
CGWX-0800	PTFE Coated	0.0800	± 0.0005

Component Supply Part Number	Material	Nom. OD (IN)	OD Tolerance (IN)
GWX-0810	304 Stainless Steel	0.0810	± 0.0005
CGWX-0810	PTFE Coated	0.0810	± 0.0005
GWX-0820	304 Stainless Steel	0.0820	± 0.0005
CGWX-0820	PTFE Coated	0.0820	± 0.0005
GWX-0830	304 Stainless Steel	0.0830	± 0.0005
CGWX-0830	PTFE Coated	0.0830	± 0.0005
GWX-0840	304 Stainless Steel	0.0840	± 0.0005
CGWX-0840	PTFE Coated	0.0840	± 0.0005
CGWX-0840	PTFE Coated	0.0840	± 0.0005
GWX-0850	304 Stainless Steel	0.0850	± 0.0005
GWX-0860	304 Stainless Steel	0.0860	± 0.0005
CGWX-0860	PTFE Coated	0.0860	± 0.0005
GWX-0870	304 Stainless Steel	0.0870	± 0.0005
CGWX-0870	PTFE Coated	0.0870	± 0.0005
GWX-0880	304 Stainless Steel	0.0880	± 0.0005
CGWX-0880	PTFE Coated	0.0880	± 0.0005
GWX-0890	304 Stainless Steel	0.0890	± 0.0005
CGWX-0890	PTFE Coated	0.0890	± 0.0005
GWX-0900	304 Stainless Steel	0.0900	± 0.0005
CGWX-0900	PTFE Coated	0.0900	± 0.0005
GWX-0910	304 Stainless Steel	0.0910	± 0.0005
GWX-0920	304 Stainless Steel	0.0920	± 0.0005
GWX-0930	304 Stainless Steel	0.0930	± 0.0005
SMW-093	High-Carbon Steel	0.0930	± 0.0005
GWX-0940	304 Stainless Steel	0.0940	± 0.0005
GWX-0950	304 Stainless Steel	0.0950	± 0.0005
GWX-0960	304 Stainless Steel	0.0960	± 0.0005
GWX-0970	304 Stainless Steel	0.0970	± 0.0005
GWX-0980	304 Stainless Steel	0.0980	± 0.0005
GWX-0990	304 Stainless Steel	0.0990	± 0.0005
GWX-1000	304 Stainless Steel	0.1000	± 0.0005
GWX-1010	304 Stainless Steel	0.1010	± 0.0005
GWX-1020	304 Stainless Steel	0.1020	± 0.0005
GWX-1030	304 Stainless Steel	0.1030	± 0.0005
GWX-1040	304 Stainless Steel	0.1040	± 0.0005
GWX-1050	304 Stainless Steel	0.1050	± 0.0005
GWX-1060	304 Stainless Steel	0.1060	± 0.0005
GWX-1070	304 Stainless Steel	0.1070	± 0.0005
GWX-1080	304 Stainless Steel	0.1080	± 0.0005
GWX-1090	304 Stainless Steel	0.1090	± 0.0005
GWX-1100	304 Stainless Steel	0.1100	± 0.0005
GWX-1110	304 Stainless Steel	0.1110	± 0.0005

Component Supply Part Number	Material	Nom. OD (IN)	OD Tolerance (IN)
GWX-1120	304 Stainless Steel	0.1120	± 0.0005
GWX-1130	304 Stainless Steel	0.1130	± 0.0005
GWX-1140	304 Stainless Steel	0.1140	± 0.0005
GWX-1150	304 Stainless Steel	0.1150	± 0.0005
GWX-1160	304 Stainless Steel	0.1160	± 0.0005
GWX-1170	304 Stainless Steel	0.1170	± 0.0005
GWX-1180	304 Stainless Steel	0.1180	± 0.0005
GWX-1190	304 Stainless Steel	0.1190	± 0.0005
GWX-1200	304 Stainless Steel	0.1200	± 0.0005
GWX-1210	304 Stainless Steel	0.1210	± 0.0005
GWX-1220	304 Stainless Steel	0.1220	± 0.0005
GWX-1230	304 Stainless Steel	0.1230	± 0.0005
GWX-1240	304 Stainless Steel	0.1240	± 0.0005
GWX-1250	304 Stainless Steel	0.1250	± 0.0005
SMW-125	High-Carbon Steel	0.1250	± 0.0005
GWX-1260	304 Stainless Steel	0.1260	± 0.0005
GWX-1270	304 Stainless Steel	0.1270	± 0.0005
GWX-1280	304 Stainless Steel	0.1280	± 0.0005
GWX-1290	304 Stainless Steel	0.1290	± 0.0005
GWX-1300	304 Stainless Steel	0.1300	± 0.0005
GWX-1310	304 Stainless Steel	0.1310	± 0.0005
GWX-1320	304 Stainless Steel	0.1320	± 0.0005
GWX-1330	304 Stainless Steel	0.1330	± 0.0005
GWX-1340	304 Stainless Steel	0.1340	± 0.0005
GWX-1350	304 Stainless Steel	0.1350	± 0.0005
GWX-1360	304 Stainless Steel	0.1360	± 0.0005
GWX-1370	304 Stainless Steel	0.1370	± 0.0005
GWX-1380	304 Stainless Steel	0.1380	± 0.0005
GWX-1390	304 Stainless Steel	0.1390	± 0.0005
GWX-1400	304 Stainless Steel	0.1400	± 0.0005
GWX-1410	304 Stainless Steel	0.1410	± 0.0005
GWX-1420	304 Stainless Steel	0.1420	± 0.0005
GWX-1430	304 Stainless Steel	0.1430	± 0.0005
GWX-1440	304 Stainless Steel	0.1440	± 0.0005
GWX-1450	304 Stainless Steel	0.1450	± 0.0005
GWX-1460	304 Stainless Steel	0.1460	± 0.0005
GWX-1470	304 Stainless Steel	0.1470	± 0.0005
GWX-1480	304 Stainless Steel	0.1480	± 0.0005
GWX-1490	304 Stainless Steel	0.1490	± 0.0005
GWX-1500	304 Stainless Steel	0.1500	± 0.0005
SMW-156	High-Carbon Steel	0.1560	± 0.0005
SMW-188	High-Carbon Steel	0.1880	± 0.0005

Component Supply Part Number	Material	Nom. OD (IN)	OD Tolerance (IN)
SMW-219	High-Carbon Steel	0.2190	± 0.001
SMW-250	High-Carbon Steel	0.2500	± 0.001

